


# KRATKO UPUTSTVO KOJE SU KREIRALI STUDENTI Ne škodi ...





Provjeri jeli  
"enabled"

Putanja do foldera dje je instaliran ability

Ime domena ne mora se kucati da bi ovo radilo


<http://>"ime racunara na koji je instaliran server"





Stavi sve strikove

Unesi pozdravnu poruku



```
C:\WINDOWS\System32\cmd.exe - ftp miljan
C:\>ftp miljan
Connected to miljan.
220 Pozdravna poruka (Ability Server 2.34 by Code-Crafters).
User (miljan:(none)): miljan
331 Please send PASS now.
Password:
230- Pozdravna poruka
230 User 'miljan' logged in.
ftp> _
```

Ftp "imeracunara"  
Ili IP adresa


Otkucaj password  
Pa "enter"

Ime korisnika kojem  
je dodiljen password


```
C:\WINDOWS\System32\cmd.exe - ftp miljan
ftp> help
Commands may be abbreviated.  Commands are:
?          delete          literal         prompt
?          debug           ls              put
append    dir             mdelete        pwd
ascii     disconnect     mdir           quit
bell      get             mget           quote
binary    glob           mkdir          recv
bye       hash           mls            remotehelp
cd        help           mput          rename
close    lcd            open           rmdir
ftp>
```


Komanda "help" otvara skup komandi ftp  
Npr:  
**get proba.doc**  
kopira fajl "proba.doc" iz foldera FTP na root  
racunara c:

FTP protokolu se moze prici i kroz internet expolorer:



posto smo stavili password na korisnika miljan otvara se naredni prozor:





dokument koji je snimljen u u folderu **FTP**



Odje rade sve windows-ove komande :copy, paste, cut

**Email Settings**

Email Accounts (1 of 2 --- 2 max)

Account/Login: miljan

Email Address: miljan@miljan

Password: \*\*\*\*

Inbox Status: 0 emails, 0 Kb used.

Buttons: Add/Update, Delete Account, Search

---

General Settings

Local Domain: c:\ability\mail

POP3 Port: 110

Max Email Size(Kb): 1024

Max Account Size(Kb): 2048

Catch-All Account:

SMTP Relay Host:

Relay Subnet:

Reject File Extensions: .dat .exe .pif .scr

Buttons: More Info, Auto Activate, Apply General Settings

Setup Info - <http://www.code-crafters.com/abilitywebserver.html>

Ime accounta, klikni na kraju na add/update  
Max 2 naloga.

Ime adrese@ime racunara

password

Putanja do MAIL foldera

podesavanja u outlook expres-u

**miljan (1) Properties**

General Servers Connection Security Advanced

Mail Account

Type the name by which you would like to refer to these servers. For example: "Work" or "Microsoft Mail Server".

miljan (1)

User Information

Name: miljan1

Organization:


E-mail address: miljan1@miljan

Reply address:

Include this account when receiving mail or synchronizing

Buttons: OK, Cancel, Apply

Drugi account je miljan1



Svuda umjesto imena racunara mozemo kucati i IP adresu, ili localhost ukoliko radimo samo na jednom racunaru...

Pogledati u dosu help za komande:

Ipconfig

Ping

Netstat

Nbtstat